

**LOMBARDINI**

A KOHLER COMPANY

Group: 5LD

Engine: 5LD 825-2 Drawing: F

COOLING SYSTEM/STARTING/INSTRUMENTS

POS.	CODE	DESCRIPTION	Qty
14	3350.031	deflector	1
18	2568.074	insp.cover	1
20	9732.016	screw M 6 X 40	1
21	7565.004	washer diam. 6	1
25	9731.092	screw M 8 X 14	1
27	7625.059	washer diam. 6,4	2
28	1760.003	bolt M 6 X 1 X 12	2
31	7625.059	washer diam. 6,4	2
33	1770.002	bolt M 8 X 1,25 X 16	1
34	7565.007	washer diam. 8	1
39	1770.002	bolt M 8 X 1,25 X 16	1
40	7565.007	washer diam. 8	1
42	3617.024	clamp	1
43	5065.078	panel	1
47	5151.054	guard panel	1
48	1760.003	bolt M 6 X 1 X 12	1
49	7565.004	washer diam. 6	1
50	3240.008	nut M 6	1
51	1770.002	bolt M 8 X 1,25 X 16	2
52	7565.007	washer diam. 8	2
53	7565.004	washer diam. 6	1
54	1760.001	bolt M 6 X 1 X 10	1
56	6898.010	molding	1
59	5065.080	panel	1
77	7565.004	washer diam. 6	4
79	3002.022	ball bearing	1
80	2200.004	key	3
81	1157.158	volt.alternator 12V 14A - 3 wires	1
81	1157.159	volt.alternator 12V 21A - 3 wires	1
83	3450.047	spacer (for blower with 14A alternator)	1
83	3450.049	spacer (for blower with 21A alternator)	1
84	3003.047	ball bearing	1
85	2086.061	bell for blower with 21A alternator	1
85	2086.066	bell for blower without alternator or with 14A alternator	1
88	9718.087	blaster fan	1
90	7625.055	washer diam.12,5	1
91	3203.015	nut	1
92	3810.009	union flange	1
95	1210.093	seal ring	1
114	1760.068	bolt M 6 X 1 X 90	4
115	8565.029	alternator stator	1
116	3240.033	nut M 10	4
117	7625.019	washer diam.10	4
118	7565.011	washer diam.10	4
119	6800.020	stud M 10 X 35 (50)	4
120	1105.016	blower shaft	1
121	6740.153	inlet regul.Saprisa	1
121	6740.154	inlet regul.Ducati	1
122	7625.061	washer diam. 8,4	2
123	7362.228	voltage regulator. 12V 14/26A-6 contacts for alternator 3 wires	1
124	7475.006	angle gear	1
125	5450.009	oil manometer	1
126	9475.034	manometer pipe mm 2000	1

Group: 5LD
Engine: 5LD 825-2 Drawing: F

COOLING SYSTEM/STARTING/INSTRUMENTS

POS.	CODE	DESCRIPTION	Qty
127	9282.003	transmission mm 1500	1
129	6491.013	pipe elbow	1
130	6745.050	oil switch 0,3 bar (M 12)	1
131	4670.014	copper gasket diam.12	1
132	9732.075	screw M 8 X 50	4
133	6927.075	belt guard	1
138	«-----»	half-pulley - see Pos. F 158 (6975.113)	0
141	2145.014	regulator cap	1
142	3526.010	spacer	2
143	9730.242	screw M 8 X 16	2
144	«-----»	switch cover	0
145	2900.110	dashboard 2 lights	1
145	2900.117	dashboard 5 lights	1
146	1760.032	bolt M 6 X 1 X 14	2
147	7625.092	washer diam. 6,5	2
148	1770.009	bolt M 8 X 1,25 X 35	1
149	1901.055	union bolt	1
150	6491.005	pipe elbow	1
151	3240.048	nut	2
152	7565.013	washer diam.12	2
153	7625.026	washer diam.12	2
154	6820.014	stud M 12 X 30 (48)	2
155	3203.015	nut	1
156	7625.055	washer diam.12,5	1
157	6320.031	plate 1,00	1
157	6320.032	plate 2,00	1
157	6320.033	plate 0,50	2
158	6975.113	PULLEY ASS.Y	1
158	8075.061	half-pulley	1
159	3240.008	nut M 6	4
160	7565.004	washer diam. 6	4
162	6760.047	stud M 6 X 16	4
163	2440.139	belt for eXternal alternator	1
165	7195.112	starting button	1
166	«-----»	switch cover	0
167	5041.020	key switch	1
168	9730.018	screw M 6 X 45	1
169	9730.048	screw M 10 X 45	1
170	2440.114	belt for engine with jockey pulley 1500 R.P.M.	1
171	3260.057	nut	1
172	«-----»	hub - see Pos. F176	0
173	7530.020	washer	1
174	9731.092	screw M 8 X 14	4
175	8430.038	locking needle	4
176	5885.050	HUB AND PULLEY diam. 194	1
178	«-----»	lampe-socket	0
180	8902.094	dashboard support	1
184	1770.004	bolt M 8 X 1,25 X 20	3
185	7565.007	washer diam. 8	4
186	3617.017	clamp	1
187	«-----»	lamp 24V	0
187	5175.162	lamp 12V	2
188	5400.060	rubber sheathing	2

Group: 5LD

Engine: 5LD 825-2 Drawing: F

COOLING SYSTEM/STARTING/INSTRUMENTS

POS.	CODE	DESCRIPTION	Qty
189	3617.020	clamp	1
190	5840.261	starting motor 12 V HP 2,5 Bosch	1
191	5400.046	rubber sheathing	1

