

**LOMBARDINI**

A KOHLER COMPANY

Group: 5LD

Engine: 5LD 825-3 Drawing: D

CONTROLS/LUBRICATING SYSTEM/DIPSTICK/OIL PAN

POS.	CODE	DESCRIPTION	Qty
1	«-----»	bolt M 8 X 1,25 X 16	0
8	4670.022	copper gasket diam.18,5 X 1,5	2
9	5953.060	nipple	2
10	9485.096	lubricating pipe	1
11	7350.034	oil cooler	1
12	8545.138	brace	1
13	4670.060	copper gasket diam.12	2
14	1901.040	union bolt M 12	1
15	9485.185	lubricating pipe	1
16	8545.130	brace	1
17	3240.020	nut M 8	2
18	4775.255	rubber gasket	1
20	1780.015	bolt M 10 X 1,5 X 70	2
21	7625.020	washer diam.10,5	2
22	3240.033	nut M 10	2
24	«-----»	lubricating pipe	0
32	4160.011	locking nut	1
33	4670.016	copper gasket diam.14	1
35	9455.062	lubricating pipe	1
36	4670.058	copper gasket diam. 8,2X12X1,5	6
37	1901.054	union bolt	3
39	5400.093	rubber sheathing	2
40	3617.016	clamp	2
44	«-----»	stud	0
46	9485.092	lubricating pipe	1
47	9330.044	dipstick guard	1
48	1400.070	dipstick mm 619	1
50	1400.369	dipstick	1
51	8965.037	plug	1
52	4670.058	copper gasket diam. 8,2X12X1,5	1
53	1200.038	rubber oil seal	1
54	4670.058	copper gasket diam. 8,2X12X1,5	1
55	7330.128	connection	1
56	4670.058	copper gasket diam. 8,2X12X1,5	1
58	8965.021	plug M 8	1
59	4670.058	copper gasket diam. 8,2X12X1,5	1
60	3740.032	OIL FILTER	1
61	4730.024	gasket	1
62	2175.036	oil filter cartridge	1
63	9730.040	screw M 8 X 80	2
64	7555.029	washer diam. 8	2
65	6370.187	intermediate plate	1
66	9027.007	plug	1
67	4670.014	copper gasket diam.12	1
68	4730.024	gasket	1
69	4670.022	copper gasket diam.18,5 X 1,5	2
70	5953.060	nipple	2
71	5655.134	governor spring	1
72	«-----»	balance lever - see Pos. D145	0
73	6140.399	pin	1
74	5271.095	lever	1
75	«-----»	screw M 4 X 12	0
76	6370.255	plate for fixing spring	1

Group: 5LD
Engine: 5LD 825-3 Drawing: D

CONTROLS/LUBRICATING SYSTEM/DIPSTICK/OIL PAN

POS.	CODE	DESCRIPTION	Qty
77	3203.077	nut M 4	1
78	5655.134	governor spring	1
79	5680.053	spring	1
80	«-----»	see Pos. 82	0
81	6141.023	pin	1
82	2690.099	HAND CONTROL	1
83	«-----»	lever - see pos. D 82	0
84	8430.023	lockpin 3 X 16	1
85	3240.043	nut	1
86	7701.009	washer	1
87	4936.082	gear	1
88	4670.016	copper gasket diam.14	1
89	«-----»	see Pos. 93	0
90	2200.002	key	1
91	9730.034	screw M 8 X 55	1
92	7555.029	washer diam. 8	1
93	«-----»	OIL PUMP -1,00	0
93	6605.051	LUBR.OIL PUMP std.	1
94	1200.038	rubber oil seal	1
95	«-----»	screw M 12 X 10	0
96	1200.001	O ring 108	1
97	«-----»	bolt	0
98	5550.015	spring	1
99	5200.509	lever	1
100	5271.096	lever	1
101	7625.108	washer	1
102	3203.050	selflocking nut M 6	1
103	3240.063	nut M 10	1
104	1240.002	circlip diam. 8	1
105	2380.091	fuel device	1
106	8430.023	lockpin 3 X 16	1
107	5270.045	lever	1
108	1760.023	adjusting bolt M 6X30	1
109	1760.028	bolt M 6 X 1 X 35	1
110	3240.008	nut M 6	1
111	7565.004	washer diam. 6	4
112	1760.010	bolt M 6 X 1 X 30	4
113	8430.023	lockpin 3 X 16	1
114	7625.007	washer diam. 6	1
115	3200.015	wing nut	1
116	1165.001	circlip	1
117	«-----»	see Pos. 82	0
118	2135.056	cap	1
119	3240.008	nut M 6	1
120	1970.071	sleeve	2
121	7625.007	washer diam. 6	1
122	1760.001	bolt M 6 X 1 X 10	1
123	7565.004	washer diam. 6	1
124	«-----»	lever (see Pos. D125)	0
125	5200.199	LEVER	1
126	7625.010	washer diam. 8	1
127	5600.022	lever spring	1
128	5830.119	nut	1

Group: 5LD
Engine: 5LD 825-3 Drawing: D

CONTROLS/LUBRICATING SYSTEM/DIPSTICK/OIL PAN

POS.	CODE	DESCRIPTION	Qty
129	6110.075	pin	1
131	5655.048	spring	1
133	9180.192	cable end	1
134	1200.001	O ring 108	1
135	6141.021	pin	1
136	1770.001	bolt M 8 X 1,25 X 12	1
137	7625.007	washer diam. 6	1
138	7555.004	washer diam. 6	2
139	1760.007	bolt M 6 X 1 X 25	2
140	5680.040	spring	1
141	8430.005	locating pin	1
142	5270.082	lever	1
143	6760.004	stud M 6 X 14 (23)	2
144	4680.036	gasket	1
145	«-----»	CONTROL HOUSING - no longer avail.	0
145	7865.079	CONTROL HOUSING	1
145	7865.114	CONTROL HOUSING with balance lever	1
146	3240.008	nut M 6	1
147	1861.046	bolt	1
148	9730.100	screw M 8 X 25	2
149	7555.029	washer diam. 8	2
150	1901.051	union bolt	1
151	9485.022	oil pipe	1
152	4670.058	copper gasket diam. 8,2X12X1,5	2
153	1901.051	union bolt	1
154	7555.029	washer diam. 8	2
155	9730.026	screw M 8 X 20	2
156	4670.058	copper gasket diam. 8,2X12X1,5	2
160	3740.054	oil filter	1
161	1770.002	bolt M 8 X 1,25 X 16	1
162	7625.012	washer diam. 8,4	1
163	1580.119	bushing	1
164	7625.070	washer diam. 6	1
165	5200.287	lever	1
166	4670.051	copper gasket	1
168	7565.011	washer diam.10	1
172	5830.119	nut	1
175	3240.018	nut M 8	1
176	2690.076	housing cover	1
180	9180.191	adjuster M 6	1
181	1760.027	bolt M 6 X 1 X 40	1
182	1200.081	O ring	1
183	3000.004	ball bearing	1
184	4445.003	gasket	1
185	«-----»	LEVER SUPPORT	0
186	3512.011	spacer	1
192	3000.004	ball bearing	1
193	7625.059	washer diam. 6,4	2
194	8420.002	locating pin	1
195	3240.008	nut M 6	2
196	5200.172	lever	1
201	«-----»	gasket	0
202	6645.121	oil pan	1

Group: 5LD
Engine: 5LD 825-3 Drawing: D

CONTROLS/LUBRICATING SYSTEM/DIPSTICK/OIL PAN			
POS.	CODE	DESCRIPTION	Qty
203	1200.034	O ring 105	1
204	1930.034	bolt	1
207	7555.029	washer diam. 8	14
208	1770.002	bolt M 8 X 1,25 X 16	2
209	4670.016	copper gasket diam.14	1
210	1770.004	bolt M 8 X 1,25 X 20	12
211	8965.005	oil drain plug M 14	1

D
5LD

