

**LOMBARDINI**

A KOHLER COMPANY

Group: 5LD

Engine: 5LD 825-4 Drawing: F

COOLING SYSTEM/STARTING/INSTRUMENTS

POS.	CODE	DESCRIPTION	Qty
1	1760.001	bolt M 6 X 1 X 10	1
2	7625.059	washer diam. 6,4	7
3	5066.044	middle panel	1
4	4115.051	hook	3
5	5066.046	panel	1
6	1770.001	bolt M 8 X 1,25 X 12	4
7	7625.070	washer diam. 6	4
8	5066.165	panel	1
14	3350.031	deflector	3
15	1760.003	bolt M 6 X 1 X 12	2
23	1770.001	bolt M 8 X 1,25 X 12	2
24	7565.007	washer diam. 8	2
25	9731.092	screw M 8 X 14	3
27	7625.059	washer diam. 6,4	2
28	1760.003	bolt M 6 X 1 X 12	2
31	7625.059	washer diam. 6,4	2
32	5066.041	airtight plate	1
33	1770.002	bolt M 8 X 1,25 X 16	1
34	7565.007	washer diam. 8	3
35	5066.039	airtight plate	1
36	9718.035	alternator fan	1
37	7565.007	washer diam. 8	1
38	7100.155	eXternal alternator pulley	1
39	1770.002	bolt M 8 X 1,25 X 16	1
40	7565.007	washer diam. 8	1
41	1157.262	eXternal volt.alternator 12V-33A	1
42	3617.024	clamp	1
44	8490.088	angle bracket	1
46	1760.001	bolt M 6 X 1 X 10	1
60	1780.066	bolt M 10 X 1,5 X 70	1
61	7670.095	washer	1
62	1240.051	snap ring	1
63	3010.095	ball bearing	1
64	«-----»	see Pos. 110	0
66	7500.025	washer	1
67	7565.011	washer diam.10	1
68	1770.082	bolt M 8 X 1,25 X 28	1
69	3240.033	nut M 10	1
70	1770.056	bolt M 8 X 1,25 X 18	1
71	7625.061	washer diam. 8,4	1
72	7565.007	washer diam. 8	1
73	8546.048	brace	1
74	7565.007	washer diam. 8	2
75	3240.018	nut M 8	1
76	8903.090	alternator support	1
77	7565.004	washer diam. 6	4
78	6975.110	pulley diam. 84	1
78	6975.144	pulley diam. 64	1
79	3003.052	ball bearing	1
80	2200.004	key	3
81	1157.158	volt.alternator 12V 14A - 3 wires	1
81	1157.159	volt.alternator 12V 21A - 3 wires	1
82	3526.055	spacer (without inside alternator or with eXtern.altern)	1

Group: 5LD
Engine: 5LD 825-4 Drawing: F

COOLING SYSTEM/STARTING/INSTRUMENTS

POS.	CODE	DESCRIPTION	Qty
83	3450.047	spacer (for blower with 14A alternator)	1
83	3450.049	spacer (for blower with 21A alternator)	1
84	3003.047	ball bearing	1
85	2086.061	bell for blower with 21A alternator	1
85	2086.066	bell for blower without alternator or with 14A alternator	1
88	9718.077	blaster fan	1
90	7625.055	washer diam.12,5	1
91	3203.015	nut	1
100	6660.022	inspection cover	1
103	«-----»	hub	0
105	3240.033	nut M 10	2
106	6800.004	stud M 10 X 20 (35)	2
107	7565.011	washer diam.10	2
108	«-----»	washer diam.10,5	0
109	2501.031	hollowstud	1
110	4110.006	JOKEY ASS.Y	1
110	6360.055	plate	1
111	3240.018	nut M 8	4
112	7565.007	washer diam. 8	4
113	6780.012	stud M 8 X 25 (37)	4
114	1760.068	bolt M 6 X 1 X 90	4
115	8565.034	alternator stator	1
116	3240.033	nut M 10	4
117	7625.019	washer diam.10	4
118	7565.011	washer diam.10	4
119	6800.010	stud M 10 X 25 (40)	4
120	1105.016	blower shaft	1
121	6740.153	inlet regul.Saprisa	1
121	6740.154	inlet regul.Ducati	1
122	7625.061	washer diam. 8,4	2
123	7362.228	voltage regulator. 12V 14/26A-6 contacts for alternator 3 wires	1
123	7362.294	volt.regulator 12V 21A fitted for electronic tachometer - 6+W c	1
124	7475.008	angle gear	1
127	9282.003	transmission mm 1500	1
128	1210.093	seal ring	1
129	6491.013	pipe elbow	1
130	6745.050	oil switch 0,3 bar (M 12)	1
131	4670.014	copper gasket diam.12	1
135	9732.075	screw M 8 X 50	4
136	6927.070	belt guard	1
137	9730.100	screw M 8 X 25	1
141	2145.014	regulator cap	1
142	3526.010	spacer	2
143	9730.242	screw M 8 X 16	2
144	«-----»	switch cover	0
145	2900.110	dashboard 2 lights	1
145	2900.117	dashboard 5 lights	1
146	1760.032	bolt M 6 X 1 X 14	2
147	7625.092	washer diam. 6,5	2
148	1770.009	bolt M 8 X 1,25 X 35	1
150	6491.005	pipe elbow	1
151	3240.048	nut	2
152	7565.013	washer diam.12	2

Group: 5LD**Engine: 5LD 825-4 Drawing: F****COOLING SYSTEM/STARTING/INSTRUMENTS**

POS.	CODE	DESCRIPTION	Qty
153	7625.026	washer diam.12	2
154	6820.014	stud M 12 X 30 (48)	2
155	3203.015	nut	1
156	7625.055	washer diam.12,5	1
161	9730.110	screw M 6 X 60	2
163	2440.088	belt for engine with jockey pulley 2200-2600 R.P.M.	1
163	2440.089	belt for engine with jockey pulley 2200-2600 R.P.M.	1
163	2440.114	belt for engine with jockey pulley 1500 R.P.M.	1
163	2440.139	belt for eXternal alternator	1
164	2440.088	belt for engine with jockey pulley 2200-2600 R.P.M.	1
164	2440.089	belt for engine with jockey pulley 2200-2600 R.P.M.	1
164	2440.114	belt for engine with jockey pulley 1500 R.P.M.	1
164	2440.139	belt for eXternal alternator	1
165	7195.112	starting button	1
166	«-----»	switch cover	0
167	5041.020	key switch	1
171	3260.057	nut	1
172	«-----»	hub - see Pos. F176	0
173	7530.020	washer	1
174	9731.092	screw M 8 X 14	4
175	8430.038	locking needle	4
176	5885.048	HUB AND PULLEY diam. 195	1
178	«-----»	lampe-socket	0
180	8902.095	dashboard support	1
184	1770.004	bolt M 8 X 1,25 X 20	3
185	7565.007	washer diam. 8	4
186	3617.017	clamp	1
187	«-----»	lamp 24V	0
187	5175.162	lamp 12V	2
188	5400.060	rubber sheathing	2
189	3617.020	clamp	1
190	5840.261	starting motor 12 V HP 2,5 Bosch	1
190	5840.267	starting motor 24 V HP 4,3 Bosch	1
191	5400.046	rubber sheathing	1

F
5LD

