

**LOMBARDINI**

A KOHLER COMPANY

Group: 5LD

Engine: 5LD 825-4 Drawing: D

CONTROLS/LUBRICATING SYSTEM/DIPSTICK/OIL PAN

POS.	CODE	DESCRIPTION	Qty
1	«-----»	bolt M 8 X 1,25 X 16	0
8	4670.022	copper gasket diam.18,5 X 1,5	2
9	5953.060	nipple	2
10	9485.096	lubricating pipe	1
11	7350.034	oil cooler	1
12a	8545.129	brace	1
13	4670.060	copper gasket diam.12	2
14	1901.040	union bolt M 12	1
15	9485.184	lubricating pipe	1
16	8545.130	brace	1
17	3240.020	nut M 8	2
18	4775.255	rubber gasket	1
20	1780.015	bolt M 10 X 1,5 X 70	2
21	7625.020	washer diam.10,5	2
22	3240.033	nut M 10	2
24	«-----»	lubricating pipe	0
32	4160.011	locking nut	1
33	4670.016	copper gasket diam.14	1
34	9455.063	lubricating pipe	1
36	4670.058	copper gasket diam. 8,2X12X1,5	8
37	1901.054	union bolt	4
39	5400.093	rubber sheathing	2
40	3617.016	clamp	2
44	«-----»	stud	0
46	9485.092	lubricating pipe	1
47	«-----»	dipstick guard	0
49	1400.402	dipstick	1
51	8965.037	plug	1
52	4670.058	copper gasket diam. 8,2X12X1,5	1
53	1200.038	rubber oil seal	1
54	4670.058	copper gasket diam. 8,2X12X1,5	1
55	7330.128	connection	1
56	4670.058	copper gasket diam. 8,2X12X1,5	1
58	8965.021	plug M 8	1
59	4670.058	copper gasket diam. 8,2X12X1,5	1
60	3740.032	OIL FILTER	1
62	2175.036	oil filter cartridge	1
63	9730.040	screw M 8 X 80	2
64	7555.029	washer diam. 8	2
65	6370.187	intermediate plate	1
66	9027.007	plug	1
67	4670.014	copper gasket diam.12	1
68	4730.024	gasket	1
69	4670.022	copper gasket diam.18,5 X 1,5	2
70	5953.060	nipple	2
85	3240.043	nut	1
86	7701.009	washer	1
87	4936.082	gear	1
88	4670.016	copper gasket diam.14	1
89	«-----»	see Pos. 93	0
90	2200.002	key	1
91	9730.034	screw M 8 X 55	1
92	7555.029	washer diam. 8	1

Group: 5LD
Engine: 5LD 825-4 Drawing: D

CONTROLS/LUBRICATING SYSTEM/DIPSTICK/OIL PAN

POS.	CODE	DESCRIPTION	Qty
93	«-----»	OIL PUMP -1,00	0
93	6605.051	LUBR.OIL PUMP std.	1
94	1200.038	rubber oil seal	1
95	«-----»	screw M 12 X 10	0
96	1200.001	O ring 108	1
147	1861.046	bolt	1
148	9730.100	screw M 8 X 25	2
149	7555.029	washer diam. 8	2
150	1901.051	union bolt	1
151	9485.023	oil pipe	1
152	4670.058	copper gasket diam. 8,2X12X1,5	2
153	1901.051	union bolt	1
154	7555.029	washer diam. 8	2
155	9730.026	screw M 8 X 20	2
156	4670.058	copper gasket diam. 8,2X12X1,5	2
157	3740.054	oil filter	1
158	«-----»	gasket	0
159	6645.122	oil pan	1
161	1770.002	bolt M 8 X 1,25 X 16	1
162	7625.012	washer diam. 8,4	1
166	4670.051	copper gasket	1
168	7565.011	washer diam.10	1
175	3240.018	nut M 8	1
178	3240.008	nut M 6	4
179	7625.008	washer diam. 6,4	4
187	8235.035	sector	1
188	7625.008	washer diam. 6,4	4
189	9865.041	screw	4
190	6085.015	pin	1
191	5690.003	spring	1
197	6545.010	knob	1
198	3240.008	nut M 6	1
200	7565.004	washer diam. 6	1
203	1200.034	O ring 105	1
204	1930.034	bolt	1
207	7555.029	washer diam. 8	18
208	1770.002	bolt M 8 X 1,25 X 16	2
209	4670.016	copper gasket diam.14	1
210	1770.004	bolt M 8 X 1,25 X 20	16
211	8965.005	oil drain plug M 14	1
212	6780.052	stud M 8 X 18 (28)	3
213	7565.007	washer diam. 8	3
214	3240.018	nut M 8	3
215	7625.026	washer diam.12	1
216	2516.065	HAND CONTROL	1
216	5201.019	lever	1
217	3240.008	nut M 6	1
218	1390.036	control rod	1
219	3240.008	nut M 6	1
220	8280.016	joint	1
221	7625.061	washer diam. 8,4	1
222	3240.164	nut M 8	1

D
5LD

