

**LOMBARDINI**

A KOHLER COMPANY

Group: 6LD

Engine: 6LD 401/B1 Drawing: B

CONN.ROD/PISTON/CYLINDER/CRANKSHAFT/FLYWHEEL/CRANKCASE/FLANGING/MOUNTS

POS.	CODE	DESCRIPTION	Qty
1	8211.045	ring set std.	1
1	8211.046	ring set +0,50	1
1	8211.047	ring set +1,00	1
6	6850.182	gear side stud	2
7	6850.181	flywh. side stud	2
9	1240.017	snap ring	2
10	8480.092	gudgeon pin	1
11	«-----»	PISTON SET +1,00	0
11	6500.910	PISTON SET std	1
11	6500.911	PISTON SET +0,50	1
17	7626.048	connect.rod washer	2
18	«-----»	CONNECTING ROD	0
19	1630.010	small end bearing	1
20	1640.082	big end bushing std.	1
20	1640.083	big end bushing -0,25	1
20	1640.084	big end bushing -0,50	1
21	6645.203	GEAR COVER	1
22	3030.046	ball bearing	1
23	1213.056	seal ring 28 X 38 X 7	1
24	8460.055	locating dowel	2
25	4670.058	copper gasket diam. 8,2X12X1,5	1
26	1770.001	bolt M 8 X 1,25 X 12	1
27	6780.076	stud M 8 X 18 (34)	5
28	1770.083	bolt M 8 X 1,25 X 50	2
29	2380.477	cylinder	1
30	1611.018	bearing std. (gear side)	1
30	1611.019	bearing -0,50 (gear side)	1
30	1611.020	bearing -1,00 (gear side)	1
30	1611.227	bearing -0,25 (gear side)	1
31	1510.531	CRANKCASE fitted for feed pump	1
31	1510.743	CRANKCASE fitted for oil alert device	1
34	9000.069	eXpansion plug	2
35	2280.048	flywheel side key	1
36	8675.135	crankshaft support	1
37	1760.001	bolt M 6 X 1 X 10	4
38	1210.092	seal ring	1
39	9732.063	screw M 8 X 35	9
40	9732.064	screw M 8 X 30	1
41	7626.043	washer diam.14,5	1
42	1800.030	bolt M 14 X 35 sin.	1
43	4601.020	gasket 0,25	1
44	1770.111	bolt M 8	8
46	6428.065	engine mount	2
48	1770.039	bolt M 8 X 1,25 X 28	1
49	7625.060	washer diam. 8,4	1
50	1257.008	thrust washer	1
51	1050.678	CRANKSHAFT std	1
62	1611.012	bearing std. (flyheel side)	1
62	1611.013	bearing -0,50 (flyheel side)	1
62	1611.014	bearing -1,00 (flyheel side)	1
62	1611.228	bearing -0,25 (flyheel side)	1
63	3240.164	nut M 8	1
64	9731.030	screw M 8 X 12	2

Engine: 6LD 401/B1 Drawing: B

POS.	CODE	DESCRIPTION	Qty
65	2816.036	crown gear z=98	1
67	9880.143	FLYWHEEL with CROWN for alternat. 4 A	1

