

**LOMBARDINI**

A KOHLER COMPANY

Group: 6LD

Engine: 6LD 435/B1 Drawing: F

COOLING SYSTEM/STARTING

POS.	CODE	DESCRIPTION	Qty
1	9865.122	screw M 6 X 12	2
2	5066.233	airtight plate	1
3	5066.234	airtight plate	1
5	4570.010	gasket	1
17	5055.031	plate	1
18	5725.043	spring	1
32	6745.050	oil switch 0,3 bar (M 12)	1
33	6491.013	pipe elbow	1
34	9790.037	screw M 6 X 8	2
36	«-----»	pulley	0
39	9790.047	screw M 6 X 16	3
40	7626.001	washer diam. 6,5	3
41	2610.049	upper cover	1
42	«-----»	circlip	0
43	5660.066	recovery spring	1
44	5025.097	tooth	1
46	«-----»	see Pos. D 111	0
47	4670.014	copper gasket diam.12	1
48	3617.046	clamp	1
49	6275.093	safety plate	1
52	7362.228	voltage regulator. 12V 14/26A-6 contacts for alternator 3 wires	1
52	7362.298	voltage regul.12 V maX 30 A - 5 contacts for alt.2 wires	1
54	2569.547	shroud	1
55	2501.090	hollowstud	2
56	7330.019	oil switch connector	1
57	4670.058	copper gasket diam. 8,2X12X1,5	1
58	1901.048	union bolt M 8	1
59	1156.098	volt.alternator 12V 4A (70W) - 2 wires	1
59	1157.154	volt.alternator 12V 14A - 3 wires	1
59	1157.167	volt.alternator 12V 16A - 2 wires	1
60	1760.042	bolt M 6 X 1 X 18	6
60	9730.015	screw M 6 X 30	5
61	7565.004	washer diam. 6	6
62	7555.004	washer diam. 6	4
63	9730.012	screw M 6 X 20	4
63	9731.022	screw M 5 X 20	4
64	6740.153	inlet regul.Saprisa	1
66	5840.142	starting motor	1
67	3790.040	flange	1
68	8335.073	spacer	1
69	«-----»	cover	0
70	5590.026	thrust spring	1
71	5025.097	tooth	1
72	«-----»	hollowstud	0
74	7980.067	cup	1
75	7100.377	recoil pulley	1
76	4904.038	handle ass.y	1
77	5801.539	spiral spring	1
78	5041.020	key switch	1
79	7245.417	dashboard 3 warning lights	1
79a	7245.422	dashboard 2 warning lights with internal rectifier bridge (4V v	1
80	«-----»	flange	0
83	3527.391	spacer	1

Group: 6LD**Engine: 6LD 435/B1 Drawing: F****COOLING SYSTEM/STARTING**

POS.	CODE	DESCRIPTION	Qty
84	3203.050	selflocking nut M 6	1
85	7625.007	washer diam. 6	1
86	3527.357	spacer	1
87	8545.500	brace	1
88	1760.007	bolt M 6 X 1 X 25	1
89	9732.037	screw M 10 X 40	2
90	5111.095	plate	1
91	5111.096	plate	1
92	6370.545	denoised engines)	1
93	6360.073	plate	1
94	7625.062	washer diam. 6,5	4
95	6055.055	hollowstud	4
96	3203.050	selflocking nut M 6	4
97	9730.315	screw M 7 X 1 X 35	1
98	1472.057	rewind starting	1
99	2610.060	front cover	1
100	9730.340	screw M 5 X 10	1
101	«-----»	tooth recovery spring	0
102	7951.173	guard housing	1
103	7625.213	washer diam. 6	1
104	9732.016	screw M 6 X 40	1
106	7980.063	cup	1
107	6275.102	spring plate	1
108	7470.003	filler	1
109	9730.325	screw M 5 X 10	4

