

**LOMBARDINI**

A KOHLER COMPANY

Group: 15LD

Engine: 15LD 440 Drawing: E

FUEL SYSTEM

POS.	CODE	DESCRIPTION	Qty
1	8103.323	fuel tank	1
1	8103.336	fuel tank fitted for shut-off	1
2	9043.096	tank cap	1
3	3240.164	nut M 8	2
4	7701.154	rubber washer	2
5	3527.509	spacer	2
6	7670.118	washer	2
7	7701.154	rubber washer	2
8	9375.872	fuel pipe 5X10 mm. 250	1
9	3630.113	clamp CE 09	2
10	9375.872	fuel pipe 5X10 mm. 250	1
11	3630.163	clamp	2
12	«-----»	injector top plate	0
15	5010.058	injector 15LD 440	1
15	6615.116	injector 15LD 440 (EPA I)	1
15	6615.117	injector 15LD 440 (EPA II)	1
15	6615.127	injector 15LD 440/S	1
16	2527.092	hose connector	1
16	2527.094	hose connector (red)	1
16a	7301.052	union	1
17a	7270.239	banjo union diam. 6	1
18	9376.029	high press.pipe	1
19	4670.062	copper gasket diam. 6,2 X 10 X 1,5	2
20	1901.171	bolt	1
20	7260.053	connection EPA version	1
21	6531.589	nozzle 15LD 440	1
21	6531.646	nozzle 15LD 440/S	1
21	6531.651	nozzle 15LD 440 (EPA I)	1
22	4670.099	copper gasket 1,00	1
23	9730.301	screw M 6 X 20	2
24	6590.359	injection pump	1
24	6590.431	injection pump (EPA)	1
25	4580.180	gasket 0,38	1
26	9730.319	screw M 6 X 12	1
27	3617.197	fuel filter clamp	1
28	3730.096	fuel filter	1
28a	3730.121	fuel filter	1
28b	3730.122	fuel filter for oil alert device	1
29	7670.118	washer	2
30	7701.154	rubber washer	2
32	9375.872	fuel pipe 5X10 mm. 250	1
33	3240.164	nut M 8	2
34	7701.154	rubber washer	2
36	9375.872	fuel pipe 5X10 mm. 250	1
39	7260.057	union for engine EPA version	1
40	6000.113	adjustment cup violet 4,00	1
40	6000.114	adjustment cup white 4,10	1
40	6000.115	adjustment cup yellow 4,20	1
40	6000.116	adjustment cup orange 4,30	1
40	6000.117	adjustment cup light blue 4,40	1
40	6000.118	adjustment cup green 4,50	1
40	6000.119	adjustment cup blue 4,60	1
40	6000.120	adjustment cup red 4,70	1

Group: 15LD
Engine: 15LD 440 Drawing: E

FUEL SYSTEM

POS.	CODE	DESCRIPTION	Qty
40	6000.121	adjustment cup grey 4,80	1
40	6000.122	adjustment cup violet 4,90	1
41	7215.133	push rod	1
42	7625.303	washer diam. 6,5	1
43	9765.182	screw M 6 X 1	1
44	3527.419	spacer	2
45	3630.163	clamp	1
46	3630.159	clamp diam.10-12,5	1
48	3630.113	clamp CE 09	1
49	9790.028	screw M 5 X 10	2
53	3587.184	electro-valve 24V	1
56	7625.007	washer diam. 6	2
58a	8510.149	electrovalve support	1
58b	8510.168	electrovalve support	1
60	9375.196	fuel hose	1
61	9375.872	fuel pipe 5X10 mm. 250	1
76	9672.154	delivery valve mmc 21	1
77	3630.050	clamp dia 9-11	2
78	«-----»	fuel hose ass.y	0
81	9732.078	screw M 6 X 25	1
82	7625.092	washer diam. 6,5	1
83	8545.793	bracket	1
86	«-----»	cartridge guide	0
97	7270.138	banjo union diam.10	2
98	1901.030	union bolt M 10	2
99	9732.092	screw M 8 X 18	2
99a	6780.008	stud M 8 X 20 (32)	2
100	6585.096	feed pump	1
100a	«-----»	feed pump	0
100a	6585.139	feed pump with fuel filter	0
101	1200.087	O ring 3150	1
102	4670.059	copper gasket diam.10	2
104	7200.735	feed pump rod	1
105	3587.138	electro-valve 12V antireverse	1
106	«-----»	hose connector	0
108a	7755.127	shut off valve	1
109	2185.950	wire mm 2000	1
110	2185.896	wire from pressure switch oil to electro-valve	1
111	«-----»	hose connector	0
112	3206.085	nut M 10	1
113	7625.130	washer diam. 10,2	1
114	4580.186	seal gasket	1
115	9375.196	fuel hose	1
116	3630.163	clamp	5
117	613R.012	safety plate	1
118	3203.050	selflocking nut M 6	1
119	3617.019	clamp	1
120	7270.229	union	1
121	9730.010	screw M 6 X 16	1
122	7755.118	shut off valve	1
123	7270.229	union	1
124	2145.038	cap	1
125	2471.006	collar	1

Group: 15LD

Engine: 15LD 440 Drawing: E

FUEL SYSTEM			
POS.	CODE	DESCRIPTION	Qty
126	«-----»	bracket - never mounted	0
126a	614R.037	safety plate	1
129	3240.164	nut M 8	2
130	7555.029	washer diam. 8	2
142	8510.165	engine lifting eye	1

E
15LD

