

**LOMBARDINI**

A KOHLER COMPANY

Group: 15LD

Engine: 15LD 440 Drawing: F

COOLING SYSTEM/STARTING

POS.	CODE	DESCRIPTION	Qty
1	5066.313	rear panel	1
1	5066.314	rear panel green (NATO)	1
2	9790.037	screw M 6 X 8	3
3	5066.334	side panel	1
3	5066.335	side panel green (NATO)	1
4	9865.122	screw M 6 X 12	1
5	9732.084	screw M 6 X 12	4
6	2569.682	shroud (red)	1
6	2569.684	shroud (green - NATO)	1
6	2569.761	shroud (grey)	1
7	2501.208	hollowstud	4
8	7986.039	denoised guard	1
9	7625.007	washer diam. 6	4
9a	7555.004	washer diam. 6	3
10	9732.084	screw M 6 X 12	4
11	7625.007	washer diam. 6	4
13	7951.173	guard housing	1
14	4904.038	handle ass.y	1
14	4904.040	handle ass.y (Bomag version)	1
15	«-----»	see Pos. 22	0
16	5025.097	tooth	1
17	5660.066	recovery spring	1
18	5590.026	thrust spring	1
19	«-----»	see Pos. 22	0
21	6961.108	pulley	1
21	6961.116	pulley for engine without compression release	1
22	1472.037	REWIND STARTING (green - NATO)	1
22	1472.057	REWIND STARTING	1
22	1472.062	REWIND STARTING (Bomag version)	1
23	7625.062	washer diam. 6,5	4
24	9730.309	screw M 6 X 8	4
25	5801.539	spiral spring	1
26	7100.377	recoil pulley	1
27	5025.097	tooth	1
28	7980.063	cup	1
29	9732.063	screw M 8 X 35	3
30	9730.010	screw M 6 X 16	3
30	992R.046	screw M 6 X 22	3
32	7362.228	voltage regulator. 12V 14/26A-6 contacts for alternator 3 wires	1
32	7362.294	volt.regulator 12V 21A fitted for electronic tachometer - 6+W c	1
32	7362.314	volt.regulator 12V 30A fitted for electronic tachometer - 5+W c	1
32a	7362.357	voltage regul.12 V maX 30 A	1
33	2145.014	regulator cap	1
38	1557.103	wire connection	1
40	2002.019	plastroferrite rotor 12 V 12/20 A	1
41	8565.107	stator for alternator 2 wires 12V 20A (for ceramic rotor)	1
41a	8565.109	stator for alternator 2 wires 12V 20A	1
41b	8565.113	alternator stator 12 V 12 A - 3 wires	1
42	5041.267	oil switch (M 10)	1
42	6745.042	pressure oil switch 0,6 bar (M 12) - red	1
42	6745.053	pressure oil switch M 10 1,4 bar - black	1
43	4670.061	copper gasket diam.14	2
44	6275.187	safety plate	1

Group: 15LD
Engine: 15LD 440 Drawing: F

COOLING SYSTEM/STARTING			
POS.	CODE	DESCRIPTION	Qty
45	5041.020	key switch	1
46a	7245.423	electr.panel 12 V	1
46b	7245.438	electr.panel 12 V	1
47	2185.882	eXtension wire	1
48	2185.907	wiring harness for batt.light and oil warn.	1
49	992R.024	screw M 10 X 25	2
50	5840.215	starting motor 12 V (Iskra type)	1
50	5840.216	starting motor 24 V	1
50	5840.218	starting motor 12 V (Bosch type)	1
51	9195.022	oil thermostat	1
51	9195.520	oil thermostat twin contacts	1
56	7565.007	washer diam. 8	3
57	9730.340	screw M 5 X 10	1
64	9730.325	screw M 5 X 10	4
65	2471.014	collar 370mm	2
66	7565.007	washer diam. 8	1
67	3240.018	nut M 8	1
68	7625.008	washer diam. 6,4	1
69	7555.004	washer diam. 6	1
70	3240.009	nut	1
71	9790.037	screw M 6 X 8	1
72	2145.072	cap	1
73	1557.156	connector	1
74	3675.033	connector lock	1
75	6275.154	plate	1
90	3515.044	spacer	1

F
15LD

