

**LOMBARDINI**

A KOHLER COMPANY

Group: SILEO

Engine: SILEO 1400 Drawing: F

FUEL SYSTEM

POS.	CODE	DESCRIPTION	Qty
2	9730.313	fix.screw	8
3	4750.014	delivery pipe seal	1
4	3240.164	nut M 8	2
5	7555.029	washer diam. 8	2
6	6780.049	intake stud M 8 X 20 (36)	2
7	6585.097	feed pump	1
8	1200.087	O ring 3150	1
9	7200.721	drive rod	1
10	1200.286	seal ring 9,25X1,78	8
11	3240.164	nut M 8	8
12	6780.135	stud	8
13	7555.029	washer diam. 8	8
14	1410.112	tapped	4
16	9680.041	bleeding valve	4
17	5801.274	delivery valve spring	4
18	9672.107	delivery valve	4
20	«-----»	injection plunger - see Pos. F 25	0
23	5755.113	tappet spring	4
24	«-----»	push rod - see Pos. F 25	0
25	6590.290	nozzle-injection pump	4
27	8335.142	adj.spacer 2,00	4
27	8335.143	adj.spacer 1,90	4
27	8335.144	adj.spacer 1,80	4
27	8335.145	adj.spacer 1,70	4
27	8335.146	adj.spacer 1,60	4
27	8335.147	adj.spacer 1,50	4
27	8335.148	adj.spacer 1,40	4
27	8335.149	adj.spacer 1,30	4
27	8335.150	adj.spacer 1,20	4
27	8335.151	adj.spacer 1,10	4
27	8335.152	adj.spacer 1,00	4
28	«-----»	pressure spring - no longer avail.	0
29	1420.048	drive rod	4
30	3527.220	spacer	4
31	«-----»	filler - no longer available	0
32	4760.015	valve gasket	4
35	1200.277	seal ring 20,35X1,78	4
36	5375.017	governor sleeve	4
37	9730.206	screw TCEI M 4 X 12	16
38	6410.096	lower ret.	4
39	«-----»	circlip diam. 19 - see Pos. F 25	0
40	5989.007	spark arrestor	4
41	1200.213	O ring 26,70X1,78	4
42	«-----»	locking nut	0
43	6531.436	nozzle	4
44	1901.030	union bolt M 10	2
45	4670.059	copper gasket diam.10	4
47	1901.045	union bolt M 10	1
48	1570.045	filler cap M 14	1
49	3587.119	electro-valve	1
52	4670.059	copper gasket diam.10	2
53	4670.061	copper gasket diam.14	2
57	4670.082	copper gasket diam.14 X 1	4

Group: SILEO
Engine: SILEO 1400 Drawing: F

FUEL SYSTEM			
POS.	CODE	DESCRIPTION	Qty
60	4670.061	copper gasket diam.14	4
61	1901.032	union bolt M 14	2
62	1200.287	O ring 25,12X1,78	4
63	4760.038	gasket	4
65	9375.988	delivery pipe	1
76	3730.093	FUEL FILTER witht water bleeding	1
78	2175.143	fuel filter cartridge with water bleeding	1
119	2185.878	el.valve connctection wire	1
123	9375.868	del.pipe mm 500	1
124	9375.857	del.pipe mm 680	1
125	9375.088		1
129	«-----»		0
130	9375.266	bleeding pipe (mm 1000)	1
131	9375.853	fuel pipe mm 1000	1
132	8545.768	filter support	1
134	3630.050	clamp dia 9-11	1
135	1901.033	union bolt M 6	1
136	4670.062	copper gasket diam. 6,2 X 10 X 1,5	2
137	7270.108	banjo union diam. 6	1
139	9680.049	no retur fuel-valve	1
140	4670.061	copper gasket diam.14	2

